

### Typical chemical and physical properties

ADDAPT® BioWet 60 is a **solvent free**, ready biodegradable **Glass Adhesion** promoter and **Glass Corrosion** inhibitor for aqueous systems on glass substrates.

**A proprietary blend of PolyAlkylene Glycols and Polyhydroxy – Amide.**

All constituents comply with the FDA regulation (incidental contact with foodstuff).

Appearance	Transparent liquid
Odour	Characteristic
Viscosity at 20 °C	< 100 cSt (Brookfield #2 @ 30 rpm)
Density	1.13-1.18 g/cm <sup>3</sup> at 20 °C
pH	5.0 to 8.0
Solubility Water	100 %
Biodegradation	Biodegradable (OECD 301 D)

*This information is intended as a guideline only. For specifications please consult the Certificate of Analyses.*

### Applications and typical treat level recommended

- Coatings	0.05 - 1.5 % wt. based on total formulation
- Printing Inks	0.05 – 2.0 % wt. based on total formulation
- Cleaning agents	

### Benefits

ADDAPT® BioWet 60G is an excellent **Adhesion Promoter** for **Glass Substrates**.

ADDAPT® BioWet 60G offers excellent resistance against **Glass Corrosion** in dish washing applications.

ADDAPT® BioWet 60G is non-foaming.

ADDAPT® BioWet 60G also imparts anti-corrosion properties for ferrous & aluminium substrates.

# ADDAPT® BioWet 60G

---

<b>Safety and Handling</b>	Please read Material Safety Data Sheet (MSDS) before handling.
<b>Product Specification</b>	This information is available on request through our local representative.
<b>Packaging</b>	This information is available on request through our local representative.

---

**Quality Policy**                      The objective of our quality policy is the continuous fulfillment of the internal and external requirements agreed upon with our partners with regards to everybody's performance.

The Quality System of ADDAPT® Chemicals BV is based on the principles of the NEN-EN-ISO-Standard 9001 : 2015.

---

**Liabilities**                              *All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from the results of tests carried out by us, are based on the current state of our knowledge. Notwithstanding any such recommendations, buyer or user remains responsible for satisfying himself that the products as supplied by us are suitable for his intended process or purpose. Since we cannot control the application, use or processing of the products, we cannot accept responsibility thereof. Buyer has to ensure that the intended use of the products will not infringe any third party's intellectual property rights. We warrant that our products are free from defects in accordance with, and subject to, our general conditions of sale and supply.*

ADDAPT Chemicals BV  
Speltdijk 1  
NL-5704 RJ Helmond  
The Netherlands  
Tel: + 31 - 492 - 59 - 75 - 75  
Fax: + 31 - 492 - 55 - 29 - 55  
E-mail: [info@addapt-chem.com](mailto:info@addapt-chem.com)  
Home page: <http://www.addapt-chem.com>

Publication Number B87728  
© ADDAPT Chemicals BV 2004  
Version 4: 2019

