

## ADDAPT® PEX-W100KP Phosphate Ester Surfactant

Typical chemical and physical properties

PEX-W100KP is a mixture of mono- and di-Phosphate Ester(s). It imparts benefits like: Anti-Corrosion properties and Surface Tension reduction.

It is a Phosphate Ester of an Oxo-Alcoholethoxylate with Potassium Hydrogen Phosphate in water.

Appearance Clear yellowish liquid

Odour Ester-like smell

Viscosity at 25 °C 200 - 500 mPa.s

(Brookfield #2, 50 rpm)

Density (20  ${}^{\circ}$ C; g/cm<sup>3</sup>) 1.14 – 1.20

Colour max. 1 Gardner

pH 7.0 to 8.0

This information is intended as a guideline only. For specifications please consult the Certificate of Analyses.

Applications and typical treat level recommended

Industrial Cleaners

Coatings

Textile (emulsifier)

Anti-corrosion systems

**Benefits** 

Easy to handle liquid, soluble in water, insoluble in aromatic, chlorinated and aliphatic hydrocarbons.

PEX-W100KP is very effective with low foaming surfactants.

Chemically stable in acidic and alkaline solutions.

Exhibits low Surface Tension properties to 23 dynes.

It has excellent hydrotropic properties.

PEX-W100KP is an excellent detergent booster due to its very good wetting and dispersing ability.

PEX-W100KP improves gloss and promotes colour acceptance in latex paint formulations.

PEX-W100KP helps minimizing nail head and flash rusting.

The product is inherently biodegradable (OECD 302B)





## ADDAPT® PEX-W100KP

Safety and Handling Please read Material Safety Data Sheet (MSDS) before handling.

**Product Specification**This information is available on request through our local representative.

**Packaging**This information is available on request through our local representative.

Storage ADDAPT® PEX-W100KP must be stored in tightly closed original containers

away from frost, heat and direct sunlight.

Quality Policy The objective of our quality policy is the continuous fulfillment of the internal

and external requirements agreed upon with our partners with regards to

everybody's performance.

The Quality System of ADDAPT® Chemicals BV is based on the principles of

the NEN-EN-ISO-Standard 9001:2015.

## Liabilities

All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from the results of tests carried out by us, are based on the current state of our knowledge. Notwithstanding any such recommendations, buyer or user remains responsible for satisfying himself that the products as supplied by us are suitable for his intended process or purpose. Since we cannot control the application, use or processing of the products, we cannot accept responsibility thereof. Buyer has to ensure that the intended use of the products will not infringe any third party's intellectual property rights. We warrant that our products are free from defects in accordance with, and subject to, our general conditions of sale and supply.

ADDAPT Chemicals BV Speltdijk 1 NL-5704 RJ Helmond The Netherlands

Tel: + 31 - 492 - 59 - 75 - 75 Fax: + 31 - 492 - 55 - 29 - 55 E-mail: <u>info@addapt-chem.com</u>

Home page: http://www.addapt-chem.com



Publication Number PE84104 © ADDAPT Chemicals BV 2005 Version 7: 2021