

## BioWet<sup>™</sup> 60G Wetting & Levelling Agents

Article number: Verification date: Version: B87728 01/08/2024 2

Product description

Acts as an adhesion promoter, corrosion inhibitor and wetting agent for glass substrates. It is non-foaming and imparts anti-corrosion properties for ferrous and aluminium substrates. It allows flow regulation and shows wetting performance.

Typical chemical and	physical properties
	Chemical nature

i pi	Chemical nature	Proprietary blenc	d of polyalkylene glycols and polyhydroxy amide.
	Appearance	Liquid	
	Solubility Water	Miscible	
	Odour	Characteristic	
	Density at 25°C	1,13 - 1,18	g/ml
	pH at 25°C	3 - 8	
	Viscosity at 25°C	<100	mPa·s

This information is intended as a guideline only. For specifications please consult the Certificate of Analysis.

Key benefits - Readily biodegradable Biobased APEO/NPEO free Solvent free -		
	Recommended dosage/usage	0.05 - 2 % based on total formulation
	Applications	Coatings Printing inks Cleaner agents
Application and treat le	<b>vel</b> Markets	Coating industry Cleaner industry Ink industry

- Excellent adhesion promoter for glass substrates.
- Offers resistance against glass corrosion in dishwashing applications.
- Provides anti-corrosion properties for ferrous and aluminium substrates.
- Non-foaming.









## BioWet<sup>™</sup> 60G Wetting & Levelling Agents

Article number: B Verification date: 0 Version: 2

B87728 01/08/2024 2

Safety and Handling	Please read Safety Data Sheet (SDS) before handling.	
Product Specification	This information is available on request through our local representative.	
Packaging	This information is available on request through our local representative.	
Storage	The product should be stored at a temperature of no less than 10 °C and no more than 25 °C and away from light. For more safety details read the Safety Data Sheet (SDS)	
Quality Policy	The objective of our quality policy is the continuous fulfillment of the internal and external requirements agreed upon with our partners with regards to everybody's performance.	
	The Quality System of ADDAPT® Chemicals BV is based on the principles of the NEN - EN - ISO - Standard 9001:2015.	
Liabilities	All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from the results of tests carried out by us, are based on the current state of our knowledge. Notwithstanding any such recommendations, buyer or user remains responsible for satisfying himself that the products as supplied by us are suitable for his intended process or purpose. Since we cannot control the application, use or processing of the products, we cannot accept responsibility thereof. Buyer has to ensure that the intended use of the products will not infringe any third party's intellectual property rights. We warrant that our products are free from defects in accordance with, and subject to, our general conditions of sale and supply.	
	ADDAPT Chemicals BV Speltdijk 1 5704 RJ Helmond The Netherlands Tel: + 31 (0)492 597575 E-mail: info@addapt-chem.com Home page: http://www.addapt-chem.com	



