

Typical chemical and physical properties VOC-free, effective liquid blocking aid for Tannin and other stains in most Water-Based and Solvent-Based coatings.

Proprietary blend of surface active and chelating compounds.

Appearance	White liquid	
Density at 25°C	0,9 - 1,05	g/ml
Viscosity at 25°C	750 - 950	mPa·s

This information is intended as a guideline only. For specifications please consult the Certificate of Analysis.

Application and treat level

Markets	Wood coatings industry
Applications	Water-Based coatings Solvent-Based coatings
Recommended dosage/usage	ca. 3 - 4 % on total formulation.

Key benefits

- **Readily biodegradable -- VOC free -- Halogen free -**
- Very effective liquid blocking aid for tannin and other stains, providing high performance and good compatibility in most Water-Based and Solvent-Based (wood) coatings.
- Excellent tannin stain blocking properties can be achieved without the need for metal containing agents like Zinc or Zirconium-based products.
- It is Barium and Antimony free.
- It is free of Ammonia.
- Easy to post-add to a coating.
- Offers excellent solubility in most Water-Based systems and Solvent-Based coatings.
- Eco-label compliant.

Safety and Handling	Please read Safety Data Sheet (SDS) before handling.
Product Specification	This information is available on request through our local representative.
Packaging	This information is available on request through our local representative.
Storage	The product should be stored at a temperature of no less than 10 °C and no more than 25 °C and away from light. For more safety details read the Safety Data Sheet (SDS)

Quality Policy The objective of our quality policy is the continuous fulfillment of the internal and external requirements agreed upon with our partners with regards to everybody's performance.

The Quality System of ADDAPT® Chemicals BV is based on the principles of the NEN - EN - ISO - Standard 9001:2015.

Liabilities *All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from the results of tests carried out by us, are based on the current state of our knowledge. Notwithstanding any such recommendations, buyer or user remains responsible for satisfying himself that the products as supplied by us are suitable for his intended process or purpose. Since we cannot control the application, use or processing of the products, we cannot accept responsibility thereof. Buyer has to ensure that the intended use of the products will not infringe any third party's intellectual property rights. We warrant that our products are free from defects in accordance with, and subject to, our general conditions of sale and supply.*

ADDAPT Chemicals BV
Speltdijk 1
5704 RJ Helmond
The Netherlands
Tel: + 31 (0)492 597575
E-mail: info@addapt-chem.com
Home page: <http://www.addapt-chem.com>

